


Analysis Results for ARRA Projects: Enabling Fuel Cell Market Transformation



2011 DOE Annual Merit Review

Jennifer Kurtz, Keith Wipke, Sam Sprik, Todd Ramsden, Chris Ainscough, Genevieve Saur

5/12/2011

Project ID: H2RA013

This presentation does not contain any proprietary, confidential, or otherwise restricted information

NREL is a national laboratory of the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, operated by the Alliance for Sustainable Energy, LLC.

Overview

Timeline

Budget

Project Start Date: August 2009 Project End Date: October 2011* Percent Complete: 75%

Barriers

Commercialization of fuel cells in key early markets.

Partners

See Collaboration slide

Total Project Funding DOE share: \$1,000k Contractor share: \$287k Funding Received in FY09: \$260k Funding Received in FY10: \$740k Funding Received in FY11: \$0k

*Project continuation and direction determined annually by DOE

Objectives - Relevance



Assess the technology status in real world operations, establish performance baselines, report on fuel cell and hydrogen technology, and support market growth by evaluating performance relevant to the markets' value proposition for early fuel cell markets.


- Assess Technology
 - Independent technology assessment in real world operation conditions
 - Focused on fuel cell system and hydrogen infrastructure: performance, operation, and safety
 - Leverage data processing and analysis capabilities developed under the fuel cell vehicle Learning Demonstration project
- Support Market Growth
 - Analyses and results relevant to the markets' value proposition
 - Reporting on technology status to fuel cell and hydrogen communities and other key stakeholders like end users
- Early Fuel Cell Markets
 - Material handling equipment, backup power, portable power, and stationary power.
 - Analysis includes up to 1,000 fuel cell systems deployed with ARRA funds

Milestones – Approach and Accomplishments



- 1. Create Early Market FC Analysis website on NREL's technology validation site
- 2. Finalize data collection and analysis plans through communications with DOE and industry partners
- 3. Quarterly deployment composite data products
- 4. Quarterly analysis of operation and maintenance data for fuel cell systems and hydrogen infrastructure
- 5.+Bi-annual technical composite data products
- 6. Site visits

Hydrogen Secure Data Center - Approach



Detailed Data Products (DDPs)

- Individual data analyses
- Identify individual contribution to CDPs
- Only shared with partner who supplied data every 6 months¹

Composite Data Products (CDPs)


- Aggregated data across multiple systems, sites, and teams
- Publish analysis results without revealing proprietary data every 6 months²

Data exchange may happen more frequently based on data, analysis, and collaboration
 Results published via NREL Tech Val website, conferences, and reports


NATIONAL RENEWABLE ENERGY LABORATORY

Analysis – Approach & Accomplishment

- NREL Fleet Analysis Toolkit (NRELFAT)
 - Developed first under fuel cell vehicle
 Learning Demonstration
 - Expanded to include material handling, backup power, and stationary power
 - Restructured architecture and interface to effectively handle new applications and projects and for analyses flexibility
- Analysis important to an application
 - Leverage Learning Demonstration analyses already created
 - Create new application specific analyses
- Publish results
 - Detailed and Composite results
 - Target key stakeholders such as fuel cell and hydrogen community and end users




Deployment CDPs Updated Quarterly -Accomplishment



FCMHE 42 CDPs - Accomplishment





Summary of FC MHE Operation - Accomplishment




Sites	5	CDPARRA- MHE-#	
Units in Operation (60 Class 1, 76 Class 2, 172 Class 3)	308*	01	
Hours Accumulated	307,433 hrs*	11	
FC Systems > 2360 hrs	25%*	02	
Hydrogen Dispensed	18,597 kg*	04	
Hydrogen Fills	38,863*	03	
Average Fill Amount	0.48 kg/fill*	10	
Average Fill Time	1.8 min/fill*	06	

FCMHE operating at end user facilities, accumulating many hours and hydrogen fills safely, and already showing productivity improvements. viding fresh, acc ar 0.0

*Through December 2010

Summary of the ARRA MHE Sites - Accomplishment

MHE Deployment - ARRA



Marker size proportional to number of units.

Forklift Units (I,II,III)	0,26,72	0,14,0	35,0,0	25,0,0	45,14,2	0,36,100	40,0,0	0,25,70
Operation								
Shifts per Day	2	2	3	1-2	3	2	2	3
Hours per Shift	8-10	9.5	8	10	8	8-10	8	8
Days per Week	6	N/A	N/A	7	7	6	6	6

Created: Mar-30-11 9:27 AM


Of the 8 sites

- Most use delivered liquid hydrogen
- Mix of greenfield and retrofit sites
- Some utilize more than one class of truck

FORKLIFT


Study of Site Specific Operation Trends -Accomplishment





- Range of average daily operation hours per system per fleet is 2-8
- Average demonstrated operation time between fills is 5 hours (Ref: CDPARRA-MHE-08)
- Average daily fills per system per fleet is 0.5 0.9 (Ref: CDPARRA-MHE-22)


Method for Calculating Projected Time to 10% Voltage Drop for Stack and Fleet - Approach



- FC Stack voltage & current polarization fit
 FC Stack voltage decay estimate using an adaptable segmented linear fit instead of linear fit (follows non-linear decay trends & early voltage decay)
- **3.** *Fleet* weighted average using FC Stack operating hour projections and weights (based on data and confidence in fit)


Note, 10% voltage drop is a DOE metric, not an indicator of end-of-life

Consistent analysis method applied to all data



Analysis of Voltage Durability - Accomplishment





(1) Range bars created using one data point for each fleet. Some stacks have accumulated hours beyond 10% voltage degradation.

(2) 10% voltage drop level is a DOE metric for assessing fuel cell performance.

(3) Projections using field data and calculated at a high stack current.

(4) 10% voltage drop is NOT an indication of an OEM's end-of-life criteria and projections do not address catastrophic stack failure.

(5) Each site has one voltage projection value that is the weighted average of the site's fuel cell stack projections.




Each site has a weight average time to 10% voltage dropAverage of the sites is 3002 hours

Maximum of the sites is 9519 hours

Fuel Cell System Reliability Analysis - Approach

- Failure events (i.e. unscheduled maintenance records) are tracked per unit and per fleet
- Crow-AMSAA analysis method^{1,2}
- Study failure rates (e.g Shape Parameter > 1 is an increasing failure rate)
- Highlight common failures per category and unit
- Tracks progress and reliability predictions




Crow-AMSAA plot for failed systems

- 1. The New Weibull Handbook, 5th ed., Robert Abernethy, (2007)
- 2. IEC 61164:2004, Reliability Growth - Statistical Estimation Methods, International Electrotechnical Commission, (2004)

Site Reliability Growth - Accomplishment






- 5 Fleets have a steady or decreasing failure rate overall, but 2 of those fleets have experienced an increasing failure rate for the last 20% of events.
- Failure rate is also studied by failure category (Ref: CDP-MHE-29)
- 25% of the systems have a MTBF of <= 100 hours (Ref: CDP-MHE-30)

Tracking Safety Reports - Accomplishment





1) Near Miss is an event that under slightly different circumstances could have become an incident -unplanned H2 release insufficient to sustain a flame

-any hydrogen release that unintentionally ignites or is sufficient to sustain a flame if ignited

-damage/unplanned downtime for project equipment, facilities or property

ed: Mar.20.11 2:34 PM


75,364 fills (ARRA & DLA projects) with 18 safety reports categorized as Near Miss

2) Incident is an event that results in:

-a lost time accident and/or injury to personnel

-impact to the public or environment

· 4 safety incidents are classified as Non-Hydrogen Release (Ref: CDP-MHE-41)



-unplanned H2 release insufficient to sustain a flame

2) Incident is an event that results in: -a lost time accident and/or injury to personnel

-impact to the public or environment -any hydrogen release that unintentionally ignites or is sufficient to sustain a flame if ignited

-damage/unplanned downtime for project equipment, facilities or property

-release of any volatile, hydrogen containing compound (other than the hydrocarbons uses as common fuels)


- 308 systems, 307,433 operation hours with 54 safety reports categorized as Near Miss and 1 Incident
- 94% of safety reports are classified as Minor Hydrogen Release (Ref: CDPARRA-MHE-27)
- 1 Incident classified as Significant Hydrogen Release – No Ignition

Infrastructure Safety Reports By Quarter

Demonstrated Refueling Downtime per Month and 100 Hours of Operation - Accomplishment




- Studied refueling downtime per month and per 100 hours of operation
- Average 2.3 hours each month or 2.5 hours per 100 op hrs
- Downtime represents time from "drive-up" to "drive-away"



Refueling Trends by Day of Week and Site -Accomplishment






Most of the dispensed hydrogen is Monday – Friday

• Individual site dispensing is fairly consistent Monday - Friday

FC Backup Power 10 CDPs - Accomplishment





Summary of Backup Power System Operation -Accomplishment


Q





Sites	85	CDP-BU-#
Deployed Systems	189*	01
Total Successful Starts	408 (99.8%)*	04
Total Run Time	218 hours*	05
Total Hydrogen	32.3 kg*	06

Key Performance Metrics Reliability Low Emissions Low Noise Ease of Use **Remote Monitoring**




* Through December 2010

Site Location and Capacity - Accomplishment



9 states with backup power sites



Backup Power Deployments


NATIONAL RENEWABLE ENERGY LABORATORY

NRELOCID DU 03

Created: Mar-07-11 1:38 A M

Demonstrated Continuous Run Time -Accomplishment





Collaborations

Data Sharing & Analysis Partners	Safety, Codes, and Standards
 Air Products FedEx GENCO Nuvera Fuel Cells Plug Power ReliOn Sprint 	 Technical Monitor of Hydrogen Safety Panel reviews of ARRA projects Review of safety plans for each site Conduct safety review site visits for up to 6 sites (2 MHE site visits completed)
Sysco Houston	 Quantitative Risk Assessment Data Input
Other collaboration activities include site visits and detail analysis discussions	 Carl Rivkin (NREL) Jeff LaChance (Sandia National Lab)

Future Work

Remaining FY11 tasks:

- Quarterly deployment composite data products (2 cycles)
- Quarterly analysis of operation and maintenance data for fuel cell systems and hydrogen infrastructure (2 cycles)
- Bi-annual technical composite data products for data through June 2011
 - Update existing set of 42 existing CDPs
 - Add to the CDPs pertaining to the market value proposition performance metrics
- Conduct 2 hydrogen safety panel site visits

Beyond FY11:

- Continue quarterly analysis, quarterly deployment CDPs, and bi-annual technical CDPs
- Close collaboration with key stakeholders to identify valuable analyses for technology status updates and metrics important to the value proposition

Summary

- Deployment CDPs (3) updated quarterly
- Two cycles of technical CDPs for material handling and backup power
 - 42 MHE specific CDPs
 - 10 Backup Power specific CDPs
- Conducted 2 safety panel site visits, 3 site visits, and 2 partner facility visits
- New, application specific analysis include continuous runtime, reliability, downtime, and durability
- All of the published results can be found at:

http://www.nrel.gov/hydrogen/proj_fc_market_demo.html

BACKUP POWER Sites	85	CDP-BU-#		
Deployed Systems	189*	01		
Total Successful Starts	408 (99.8%)*	04		
Total Run Time	218 hrs*	05		
Total Hydrogen	32.3 kg*	06		
Sites	5	CDPARRA- MHE-#		
Units in Operation (60 Class 1, 76 Class 2, 172 Class 3)	308*	01		
Hours Accumulated	307,433 hrs*	11		
FC Systems > 2360 hrs	25%*	02		
Hydrogen Dispensed	18,597 kg*	04		
Hydrogen Fills	38,863*	03		
Average Fill Amount	0.48 kg/fill*	10		
Average Fill Time	1.8 min/fill*	06		

* Through December 2010

NATIONAL RENEWABLE ENERGY LABORATORY

Contact Information & Website

http://www.nrel.gov/hydrogen/proj_fc_market_demo.html



Hydrogen & Fuel Cells Research

markets.



Printable Version

NREL HOME

Hydrogen & Fuel Cells Research Home

Capabilities

Projects Hydrogen Production & Delivery

Hydrogen Storage

Fuel Cells

Technology Validation

-Fuel Cell Vehicle Learning Demonstration

-Fuel Cell Bus Evaluations

Farly Fuel Cell Market

Demonstrations Safety

Codes & Standards

Analysis

Education

Manufacturing

Research Staff

Facilities

Working with Us Energy Analysis & Tools Publications Awards & Honors News

¢.

support fuel cell market transformation activities and help foster the growth of fuel cell markets. In addition, the Department of Defense funds early fuel cell demonstration projects. NREL receives operational data from these early market fuel cell

technologies for material handling, backup power, and prime-power

Early fuel cell market demonstrations are focused primarily on using fuel cell

applications. The Department of Energy-sponsored demonstration projects

Early Fuel Cell Market Demonstrations

demonstrations, analyzes, and reports on these data. By aggregating data across numerous industry teams and sites, NREL develops composite data products (CDPs), which provide relevant data results on the technology status candidates for use in fuel cell and fuel cell performance without revealing proprietary data. These publicly available CDPs will help the development community understand the state of fuel cell technologies, identify areas for continued improvement, and provide data metrics that are important to the business case for these fuel cell

This page provides the following resources:

- Composite Data Products
- Presentations and Publications
- Presentations Containing All CDPs

Composite Data Products

The public technical analysis results are generated in the form of composite data products. The following CDPs can be sorted by title, category, CDP number, and date updated. Download the CDPs as PowerPoint or JPG files using the links in the two columns on the right. Download the current presentation containing all CDPs (PowerPoint 2.7 MB) or see the archived presentations containing all CDPs.

Sort by Title ▼	Sort by Category 💌	Sort by CDP No.	Sort by Date Updated	PowerPoint	JPG
Operating Hours between Fueling	Fuel Cell Fuel Economy Range and Efficiency	FLOB	2009-11-06	e	<u>JPG</u>
Accumulated Forklift Operating Hours	Fuel Cell Usage and Operation Behavior	FL02	2009-11-06	Ø	<u>JPG</u>
Forklifts Deployed by Quarter	Fuel Cell Usage and Operation Behavior	FL01	2009-11-06	Ø	<u>JPG</u>
Fuel Cell Units Delivered to Site	Fuel Cell Usage and Operation Behavior	ARRA01	2010-02-19	Ø	<u>JPG</u>
Fuel Cell Units in Operation—Current and Proiected Quantities	Fuel Cell Usage and Operation Behavior	ARIRA02	2010-02-19	Ø	<u>JPG</u>

Jennifer Kurtz jennifer.kurtz@nrel.gov 303-275-4061

HSDC.

NREL's Hydrogen Secure Data Centy

FC BACKUP POWER FC FORKLIFTS

FC PRIME POWER



Hydrogen PEM fuel cells are leading vehicles. Today's commercially available PEM fuel cells are narticularly appropriate for low-power applications requiring intermittent backun