

# Technology Validation: Fuel Cell Bus Evaluations

## **2013 DOE Annual Merit Review**

Leslie Eudy, National Renewable Energy Laboratory

May 16, 2013

Project ID# TV008

This presentation does not contain any proprietary, confidential, or otherwise restricted information

NREL is a national laboratory of the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, operated by the Alliance for Sustainable Energy, LLC.

# **Overview**

## Timeline

- Project started in FY03
- End date: 10/2013\*

## **Budget**

- Pre-FY 2012 funding
  - DOE share: \$2.277 M (9 yr)
- FY 2012: \$300K
- Planned FY 2013: \$300K
- Additional funding from DOT/Federal Transit Admin.

\*Project continuation and direction determined annually by DOE.

## Tech. Val. Barriers

- A. Lack of current fuel cell vehicle (bus) performance and durability data
- C. Lack of current H<sub>2</sub> fueling infrastructure performance and availability data

#### **Partners**

- Transit Fleets: Operational data, fleet experience
- Manufacturers: Vehicle specs, data, and review
- Fuel providers: Fueling data and review

# **Relevance: Objectives**

- Validate fuel cell electric bus (FCEB) performance and cost compared to DOE/DOT targets and conventional technologies
- Document progress and "lessons learned" on implementing fuel cell systems in transit operations to address barriers to market acceptance

Current Targets*	Units	2012 Status	2016 Target	Ultimate Target
Bus lifetime	Years / miles	5/100,000	12/500,000	12/500,000
Powerplant lifetime	Hours	12,000	18,000	25,000
Bus availability	%	60	85	90
Roadcall frequency (Bus/fuel cell system)	Miles between road call	2,500/10,000	3,500/15,000	4,000/20,000
Operation time	Hours per day/ days per week	19/7	20/7	20/7
Maintenance cost	\$/mile	1.20	0.75	0.40
Fuel economy	Miles per diesel gallon equivalent	7	8	8

\* Fuel Cell Technologies Program Record # 12012, Sep 2012, www.hydrogen.energy.gov/pdfs/12012\_fuel\_cell\_bus\_targets.pdf

# **Evaluation Approach**

#### Data Collection/Analysis

 NREL 3<sup>rd</sup> Party analysis uses standard protocol for collecting existing data from transit partners



 Includes comparisons to conventional technology buses in similar service (diesel, CNG, diesel hybrid)




NATIONAL RENEWABLE ENERGY LABORATORY

Individual Site Reports

- Documents performance results and experience for each transit agency
- Builds database of results
- Reports published and posted on NREL web site






# Annual FCEB status report

- Crosscutting analysis comparing results from all sites
- Assesses progress and needs for continued success
- Provides input on annual status for DOE/DOT Targets

# Accomplishments: Progress Toward Targets U.S. FCEB Numbers Show Upward Trend

#### Data being collected on increasing number of FCEBs (includes FTA NFCBP buses)




21 active FCEBs at the end of 2012; Estimated 28 by the end of 2013; Slight drop in 2014 as several prototype demonstrations end.

## **NREL Assesses Technology Readiness Levels**

Manufacturer teams for FCEBs currently operating in the United States

Bus OEM	Length (ft)	Fuel Cell System	Hybrid System	Design Strategy	Energy Storage	TRL Level	
Van Hool	40	ClearEdge Power	Siemens ELFA integrated by Van Hool	Fuel cell dominant	Lithium-based batteries	7	
New Flyer	40	Ballard	Siemens ELFA integrated by Bluways	Fuel cell dominant	Lithium-based batteries	7	
ElDorado	40	Ballard	BAE Systems	Fuel cell dominant	Lithium-based batteries	6 🔮	
Proterra	35	Hydrogenics	Proterra integration	Battery dominant	Lithium-based batteries	6	
Daimler (Orion)	40	Hydrogenics	BAE Systems	Diesel hybrid w/ FC	Lithium-based batteries	6 - 7	
Ebus	22	Ballard	Ebus integration	Battery dominant	Nickel cadmium	6	

#### **Commercialization Process**



Data included in Presentation

# Accomplishments: Progress Toward Targets Data Summary for 2012

## Data summary includes three types of fuel cell dominant, FCEBs at three transit sites:

- AC Transit, Oakland, CA
  - 40-foot Van Hool buses with ClearEdge Power\* FC (ZEBA)
- CTTRANSIT, Hartford, CT
  - 40-foot Van Hool buses with ClearEdge Power FC (Nutmeg)
- SunLine, Thousand Palms, CA
  - 40-foot New Flyer bus with Ballard FC and Bluways hybrid system (AT)
  - 40-foot ElDorado bus with Ballard FC and BAE Systems Hybrid drive (AFCB) s

SL AFCB

**ZEBA** 

CTT

SL AT

Nutmeg




ero Emission Hydrogen Fuel Cell Bur

SunBus


# Accomplishments : Progress Toward Targets <u>Top Fuel Cell Powerplant exceeds 12,000 Hours</u>

## Total hours accumulated on each FC powerplant (FCPP) as of 1/31/13



Created: Mar-08-13 9:30 AM


## More than 53,000 kg Hydrogen Dispensed



Created: Mar-08-13 3:09 PM


# Average Bus Availability at 57%; Highest at 85%

## Monthly bus availability



Availability = planned operation days compared to actual operation days

## Accomplishments : Progress Toward Targets Reasons for Unavailability



Unavailability primarily due to bus related issues—Air conditioning, doors, accidents, bus preventative maintenance


Availability = planned operation days compared to actual operation days

## **Newest FCEB Bus Introduced Achieves 85% Availability**

#### 1<sup>st</sup> generation bus developed under FTA NFCBP: American Fuel Cell Bus


- BAE Systems hybrid drive, Ballard fuel cell, ElDorado National 40-foot bus
- Average availability: 85%
- Monthly miles: 3,445
- Fuel economy: 7.3 mpdge
- MBRC\*: Bus 3,445; Propulsion system 6,316; FC System 12,632





## **Average FCPP Availability Reaches 95%**


## **Monthly FCPP availability**



Availability = planned operation days compared to actual operation days

FC System MBRC\* Increased to 17,558 miles (56% increase)

#### MBRC – 12 month rolling average




FC System MBRC 56% improvement from previous AMR

\*MBRC = miles between roadcall


## **Average Monthly Mileage Approaching 2,000**

#### Monthly miles compared to conventional bus baseline

- Average monthly miles: 1,981
- Buses have operated as much as 20 hours in a day, 7 days per week



## FCEB Fuel Economy up to 2x over Baseline



#### New FC bus designs have twice the fuel economy as diesel buses

## Accomplishments: Lessons Learned ZEBA Fleet Successfully Back In Service after 9 months

## Start-up of buses

- Re-wet procedure for fuel cell
- Inspection of bus and components
- Test drive

## • Driver training

- Refresher for drivers previously trained
- Training for new drivers

## • Service start in Feb 2013

- Agency reports that the start-up process went extremely well
- Buses were placed into service as soon as the start-up was completed and sufficient drivers were trained
- Issues were minor 24 V batteries all needed to be changed
- No FC or traction battery issues so far



## **Collaborations**

- Transit agencies provide data on buses, fleet experience, and training, and review reports
  - California: AC Transit, BurbankBus, Golden Gate Transit, Santa Clara VTA, SamTrans, SunLine, San Francisco MTA
  - Connecticut: CTTRANSIT
  - Alabama: Birmingham-Jefferson County
  - Ohio: Ohio State University
  - o Illinois: Chicago Transit Authority

#### • Manufacturers provide some data on buses and review reports

- Bus OEMs: Proterra, Van Hool, New Flyer, ElDorado National, DesignLine, EVAmerica
- FC OEMs: Ballard, Hydrogenics, ClearEdge Power, Nuvera
- Hybrid system OEMs: BAE Systems, Bluways, GE, Van Hool
- Other organizations share information and data
  - National: CARB, NAVC, CTE, CALSTART
  - International: Various organizations from Germany, Iceland, Brazil, Canada, China, Japan, England, Australia

## **Future Work**

Fuel Cell Electric Bus Evaluations for DOE and FTA																
Domonstration	Ctata	#	2012			2013			2014			2015				
Demonstration	State	Buses	3	4	1	2	3	4	1	2	3	4	1	2	1	2
Advanced Technology FCEB	CA	1	Su	inLine	e, Tho	ousa	nd Pa	lms								
	СТ	2	СТ	TRAN	NSIT,	Hai	tford		N /		044					
Nutmeg Hybrid FCEB *	MI	1	FI	int, M	ТА		<del>(</del>		IVI	ay 2	201	3				
	ОН	1			GC	RTA	Cleve	land								
		12	AC Transit, Oakland													
ZEBA Demonstration	CA								GGT,	San	Rafae	el 🛛				
									VTA, S	San Jo	se; Sa	mTran	s, San	Mateo	>	
American Fuel Cell Dus (AFCD) *	CA	1			Su	ınLi	ne, Th	ousan	d Pa	lms						
American Fuel Cell Bus (AFCB) *	IL	1							C	TA, C	hica	go				
AFCB (TIGGER)	CA	2										Sun	Line,	Thous	and P	alms
СТ АҒСВ	СТ	1												CTTR	ANSI	т
Burbank FCEB	CA	1					Bur	bank	_							
Hydrogen Hybrid FCEB *	ТΧ	1		Cap	o Meti	ro, A	ustin									
Compound Bus 2010 *	CA	1					SFM	TA, Sa	n Frar	ncisco						
Birmingham FCEB *	AL	1					B.	ЈСТА,	, Birn	ningh	am					
Light weight FCEB *	NY	1				A	bany									
EcoSaver IV Hybrid FCEB *	ОН	1						05	SU, C	oluml	ous					
Massachusetts FCEB *	MA	1						Mas	spor	t, Bos	ston					
Advanced Composite FCEB *	ΤХ	<u> </u>							Сар	Metr	·o, Αι	us tin				
	TBD	I												Sit	te 2	
Advanced Generation FCEB *	СТ	1								CTTR	ANSI	т				
* National Fuel Cell Bus Program project						•							-			
National		Color co	bded	by		F	uel ce	ell dom	ninant	hybri	d elec	tric				



Design Strategy:

Battery dominant hybrid electric

Diesel hybrid with fuel cell primarily for for accessories

## **Future Work**

## Remainder of FY 2013

- Complete following data analyses/reports:
  - SunLine AFCB Report, Apr 2013
  - AC Transit, ZEBA Demo Report, Aug 2013
  - City of Burbank FCEB Report, Sept 2013
  - 2013 Annual Status Report, Sep 2013

## • FY 2014

- Kick off new FCEB evaluations as buses go into service
- Complete Individual Site reports as scheduled
- Complete annual crosscutting analysis across sites

### **Documented progress toward targets:**

	Units	2013 Status	2016 Target	Ultimate Target
Bus lifetime	Years / miles	5/100,000	12/500,000	12/500,000
Powerplant lifetime	Hours	1,000 - 12,000	18,000	25,000
Bus availability	%	53 – 84	85	90
Roadcall frequency (Bus/fuel cell system)	Miles between road call	2,000 - 3,500 / 7,000 - 20,000	3,500/15,000	4,000/20,000
Operation time	Hours per day/ days per week	19/7	20/7	20/7
Maintenance cost	\$/mile	0.39 – 1.30	0.75	0.40
Fuel economy	Miles per diesel gallon equivalent	6 – 7.5	8	8
Range	miles	220 – 325	300	300