

U.S. DOE Office of Fossil Energy Solid Oxide Fuel Cell (SOFC) Program



Shailesh D. Vora
Technology Manager, Fuel Cells
National Energy Technology Laboratory (NETL)
April 29, 2019




SOFC Program Mission

To enable the generation of efficient, low-cost electricity with intrinsic carbon capture capabilities for:

- **Near term: Natural gas-based distributed generation**
- **Long term: Coal and natural gas utility-scale applications with Carbon Capture and Sequestration (CCS)**

SOFC Program Structure

Key Technologies



SOFC Program

R&D Approach

➤ Applied Research

- Cell and Core Technologies
- TRL 2 – 5
- Collaboration with an SOFC Developer (industry) encouraged

➤ Development

- State-of-the-Art systems development
- Innovative Concepts
- TRL 5 – 6

The SOFC Program is focused on the design, scale-up, and integration of the SOFC technology into modules and systems, and the development and testing of progressively larger stacks/systems

SOFC Program Project Portfolio

FY19 Participants



SOFC Program Metrics

Metric	Current	2020 Target	2025/2030 Target
System Cost (100 kW- 1MW)	>\$12,000/kWe	\$6,000/kWe	\$900/kWe
Single Cell Degradation	0.2 - 0.5% per 1,000 hrs		
Cell Manufacturing Approach	Batch	Semi- Continuous	Continuous
System Degradation	1 – 1.5% per 1,000 hrs	0.5 - 1.0% per 1,000 hrs	<0.2% per 1,000 hrs
Fuel Reformation	Primarily external natural gas conditioning/reforming	100% integrated natural gas reformation inside cell stack	
Durability	<2,000 hrs	5,000 hrs	5 years
Platform	Proof-of-Concept	Prototype/Pilot	DG: Commercial Utility-scale: Pilot
Configuration	Breadboard/Integrated systems	Fully packaged	Fully packaged
Fuel	Natural gas	Natural gas Simulated syngas	Natural gas Coal-derived syngas
Demonstration Scale	50 kWe – 200 kWe	200 kWe – 1 MWe	DG: MWe-class Utility-scale: 10 – 50 MWe


Single-cell performance and degradation meet targets; system performance, cost and durability are being evaluated

SOFC Program

R&D Gaps

Technology	Topic
Cells	Manufacturing/QC
	Chemical Instability
Stacks	Manufacturing/QC
	Contacts
	Seals
Systems	Degradation
	Reliability
	System integration
	Balance-of-Plant
	Operations

SOFC Program Development Timeline



SOFC R&D at NETL

Cell and Stack Degradation Modeling	Electrode Engineering	Systems Engineering and Analysis	High Temp Optical Sensors
<ul style="list-style-type: none">• Development of comprehensive predictive modeling tool• Atoms to system scale bridging• Validated through experiment	<ul style="list-style-type: none">• Mitigation of prominent degradation modes• Successful transfer of technology to industry	<ul style="list-style-type: none">• Public dissemination of SOFC market potential, performance, and cost advantages• Hybrid configuration assessment• Tie to R&D goals and objectives	<ul style="list-style-type: none">• Multi-application technology under development for high temperature sensing• Demonstrated in SOFC• In-situ sensing of temperature distribution and gas composition

SOFC R&D at Pacific Northwest National Laboratory (PNNL)



Materials

- Quantitative understanding of Cr poisoning
- Validation of Cr capture materials
- Enhanced reliability of cathode/contact material interfaces
- Cobalt-free protective coatings for metallic interconnects

Modeling

- Advanced Reduced Order Models (ROM) for accurate simulation of stack performance in system models
- Modeling to mitigate stack degradation and increase reliability

Small-Scale SOFC Test Platform

- Designed and fabricated SOFC test platform (1-10 kW)
- Used for evaluation of performance and reliability of emerging stack technologies
- First technology to be tested: Ceres Power stack module (~4 kW)

SOFC Power Systems

1. FuelCell Energy 200 kW Prototype Field-Test

- 200 kW_e integrated SOFC Power System
- Test site: NRG Energy Center
Pittsburgh, PA
- Natural gas fuel, Grid Connected
- Target operating time: 5,000 hrs



Photo courtesy FuelCell Energy

SOFC Power Systems

2. LG 250 kW Prototype Field-Test


- 250 kW integrated SOFC Power System
- Test site: Stark State College
North Canton, OH
- Natural gas fuel, grid connected
- 1,300 hrs on load
- Efficiency: 55% AC
- Power degradation: 0.3% per 1000 hrs



Photo courtesy LG Fuel Cell Systems

SOFC Program

DOE Funding History



SOFC Program

Key Takeaways



- **Emphasizing the resolution of design, operation, and performance considerations at the system level**
- **Acquiring fabricating and operational experience on integrated, prototype field tests**
- **Cell Development and Core Technology research continues and is well aligned with industry need**

For Additional Information

Office of Fossil Energy: www.energy.gov/fe/office-fossil-energy

NETL Website: www.netl.doe.gov/

SOFC Program website: www.netl.doe.gov/coal/research/energy-systems/fuel-cells

Reference Shelf:

- SOFC Program Project Portfolio
- SOFC Technology Program Plan
- Technology Readiness Assessment
- Past Workshop Proceedings
- Systems Analysis
- Fuel Cell Handbook

Dr. Shailesh D. Vora

Technology Manager, Fuel Cells

National Energy Technology Laboratory

U. S. Department of Energy

412-386-7515

Shailesh.Vora@netl.doe.gov

