NREL
NATIONAL RENEWABLE ENERGY LABORATORY

Analysis Results for ARRA Projects: Enabling Fuel Cell Market Transformation



2012 DOE Annual Merit Review

Jennifer Kurtz, Keith Wipke, Sam Sprik, Todd Ramsden, Chris Ainscough, Genevieve Saur

May 16, 2012

Project ID# H2RA013

This presentation does not contain any proprietary, confidential, or otherwise restricted information.

NREL is a national laboratory of the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, operated by the Alliance for Sustainable Energy, LLC.

Overview

Timeline	Barriers
Project start date: August 2009 Project end date: September 2013* Percent complete: 95%	Commercialization of fuel cells in key early markets
Budget	**Partners**
Total project funding DOE share: $1,000k Contractor share: $0 Funding received in FY11: $0k Funding received in FY09-FY10: $1,000k	See Collaboration Slide

*Future evaluations under Technology Validation

Objectives - Relevance

BACKUP POWER | FORKLIFTS | PRIME POWER

Assess the technology status in real world operations, establish performance baselines, report on fuel cell and hydrogen technology, and support market growth by evaluating performance relevant to the markets' value proposition.

- **Assess Technology**
  - Independent technology assessment in real world operation conditions
  - Focused on fuel cell system and hydrogen infrastructure: performance, operation, and safety
  - Leverage data processing and analysis capabilities developed under the fuel cell vehicle Learning Demonstration project
  - Material handling equipment, backup power, portable power, and stationary power.
  - Analysis includes up to 1,000 fuel cell systems deployed with ARRA funds
- **Support Market Growth**
  - Analyses and results relevant to the markets' value proposition
  - Reporting on technology status to fuel cell and hydrogen communities and other key stakeholders like end users

Milestones – Approach and Accomplishments



1. Create Early Market FC Analysis website on NREL's technology validation site
2. Finalize data collection and analysis plans through communications with DOE and industry partners
3. Quarterly deployment composite data products
4. Quarterly analysis of operation and maintenance data for fuel cell systems and hydrogen infrastructure
5. Bi-annual technical composite data products
6. Site visits
7. Hydrogen Safety Panel Final Report (FY12 Q4)

Hydrogen Secure Data Center - Approach

Bundled data (operation & maintenance/safety) delivered to NREL quarterly

Internal analysis completed quarterly

DDPs

HSDC

NREL's Hydrogen Secure Data Center



Results

Confidential

Public

CDPs

Detailed Data Products (DDPs)

- Individual data analyses
- Identify individual contribution to CDPs
- Only shared with partner who supplied data every 6 months[1]

Composite Data Products (CDPs)

- Aggregated data across multiple systems, sites, and teams
- Publish analysis results without revealing proprietary data every 6 months[2]

1) Data exchange may happen more frequently based on data, analysis, and collaboration
2) Results published via NREL Tech Val website, conferences, and reports

Analysis – Approach & Accomplishment



- **NREL Fleet Analysis Toolkit (NRELFAT)**
  - Developed first under fuel cell vehicle Learning Demonstration
  - Expanded to include material handling, backup power, and stationary power
  - Restructured architecture and interface to effectively handle new applications and projects and for flexible analysis
- **Analysis important to an application**
  - Leverage Learning Demonstration analyses already created
  - Create new application specific analyses
- **Publish results**
  - Detailed and Composite results
  - Target key stakeholders such as fuel cell and hydrogen developers and end users

Deployment Update - Accomplishments



NREL cdparra_em_02
Created: Feb-21-12 5:18 PM

1) American Recovery and Reinvestment Act

Updated since 05/2011

13 Backup Power CDP Count & Category - Accomplishment

BACKUP POWER

Deployment
(1, 2, 3)



Fuel Cell Operation
(5, 7, 8, 9, 11, 12, 13)



Fuel Cell Reliability
(4, 10)



Infra. Operation
(6)



Backup Power Deployment

State	kW Capacity	Sites
Arizona	84	16
California	515	111
Colorado	24	5
Connecticut	92	20
Florida	6	1
Georgia	50	1
Illinois	4	2
Indiana	50	16
Kentucky	22	4
Massachusetts	10	1
Michigan	164	40
New Jersey	106	26
New York	161	39
South Carolina	50	1
Utah	36	9
Totals	1374	292

06/2010 – 5 sites
12/2010 – 85 sites
06/2011 – 199 sites
12/2011 – 292 sites



Site Capacity (line height proporational to installed site kW capacity)

NREL cdp_bu_03
Created: Mar-26-12 12:17 PM

CDP-BU-03

Updated since 05/2011

Summary of Backup Power System Operation

BACKUP POWER

Updated since 05/2011

Sites	*292*	*CDP-BU-#*
Deployed Systems	625*	01
Total Successful Starts	1187 (99.7%)*	04
Total Run Time	611 hours*	05
Total Hydrogen	70.7 kg*	06



1) FC system conditioning is an automated operation for regular system checks; activitated after long periods of no operation.

Systems are operating reliably in 15 states with 99.7% successful starts. Reasons for unsuccessful starts include an e-stop signal and system failures.

* Through December 2011

Demonstrated FC Backup Continuous Run Time - Accomplishment

Most of the starts operate for less than 1 hour long based on grid stability, interface with site, and conditioning. Conditioning starts account for 45% of all starts and the maximum demonstrated continuous run time is 29 hours.



CDP-BU-09

NREL cdp_bu_09

Created: Mar-26-12 12:23 PM

Updated since 05/2011

63 MHE CDP Count and Category - Accomplishment

Deployment & Site Overview *(1, 40)*



Fuel Cell Operation *(2, 7, 8, 11, 15, 16, 17, 23, 24, 63)*



Fuel Cell Safety *(26, 27, 53, 56, 57)*



Infra. Operation *(3, 4, 5, 6, 9, 10, 21, 22, 35, 37, 42,62)*



Infra. Safety *(25, 41, 46, 51, 55)*



Fuel Cell Durability *(32, 33, 34, 38, 39)*



FC Maintenance *(12, 13, 14, 43, 54, 61)*



Infra. Maintenance *(18, 19, 20, 44, 47, 52)*



Infra. Reliability *(45, 48, 49, 50)*



Fuel Cell Reliability *(28, 29, 30, 31)*



Cost of Ownership *(58, 59, 60,64)*



MHE Operation Status - Accomplishment

Sites	8	CDPARRA -MHE-#
Units in Operation (100 Class 1, 76 Class 2, 172 Class 3)	504*	01
Hours Accumulated	959,887 hrs*	11
25% of FC Systems	> 4,860 hrs*	02
FC Systems Average > 6 hours Daily	66%*	24
Hydrogen Dispensed	104,916 kg*	04
Hydrogen Fills	148,251*	03
Average Fill Amount	0.6 kg/fill*	10
Average Fill Time	2.2 min/fill*	06
Average Op Time between Fill	4.8 hrs*	08



The majority of sites have delivered liquid hydrogen. 2 of the 8 sites are greenfield sites. 4 sites have more than one class of MHE in operation.

*Through December 2011

Updated since 05/2011

Key Performance Areas by MHE Classification - Accomplishment

Key performance areas include fill amount, operation per fill, operation per day, operation per year, mean time between failure, and voltage degradation. Data indicate Class 1 and 2 are similar in operation (and in system specs). One reason for Class 3 systems having higher voltage durability and MTBF is the less strenuous performance needs than Class 1 and Class 2 systems.



NREL cdp_mhe_63
Created: Mar-28-12 3:37 PM

New since 05/2011

Annualized Total Cost of Ownership per Unit Identifies Key Cost Advantages are Dependent on Deployment Size - Accomplishment



CDP Ref #: 58

Analysis inputs are averages per category, some key inputs are:

- 58 FC lifts
- 333 days per year, 2.5 shifts per day (2,100 pedal hours per year)
- 3 min per hydrogen fill & 10 min per battery change out

Class III Annualized Cost

- $11,700 FC
- $12,400 Battery

Other results include (#59, 60, & 64)

- Sensitivity
- Intensive deployment scenario (100 lifts and 3,000 pedal hours per year)
- Input values

Results assume replacements as needed and do not reflect technology generation improvements or other productivity improvements such as constant power, emissions, and cold environment. FC costs include current tax credit of $3,000/kW or 30% of purchase price. Data source: ARRA & DLA project partner questionnaire & fuel cell performance data.

New since 05/2011

Fuel Cell Voltage Degradation - Accomplishment

Maximum fuel cell accumulated hours is 7,476 and the average projected hours to 10% voltage degradation is 5,500 hours with ~35% of stacks having a projection > 10,500 hours.



CDP-MHE-38 & 39

Updated since 05/2011

FC Maintenance Analyses - Accomplishment

The average availability is 98% but ~35% of FC systems have a MTBF of 250 hours or less.



Thermal management and software issues are consistent maintenance categories for low MTBF systems from all three classes. A decrease in the average maintenance events per system per quarter has already been observed based on learnings from previous deployments.

2009 MHE Systems average ~3 maintenance events per unit per quarter.
2010 MHE Systems average ~1.5 maintenance events per unit per quarter.

CDP-MHE-54, 30, & 14 (DLA & ARRA)

Updated & new since 05/2011

FC MHE Safety Report by Quarter and Classification - Accomplishment

FC Safety: Majority of safety reports are minor hydrogen leaks with an average of 4,480 stack hours per report







The majority of safety reports were in the on-board Fuel System equipment category. Incident types include non-hydrogen fires, significant hydrogen release without ignition, and operator protocol.

CDP-MHE-26, 27, & 57

Updated & new since 05/2011

Infrastructure Safety by Quarter & Classification – Accomplishment

Majority of safety reports are hydrogen leaks primarily from the hydrogen compressor and plumbing.



Average of 1,800 kg dispensed per safety report with only 4 incidents. Of the 56 Near Miss safety reports, 27 were from the hydrogen compressor category.

Incident Categories



H_2 Leak Equipment Categories



CDP-MHE-25, 41, 46, & 51

Updated & new since 05/2011

Infrastructure Operation - Accomplishment

Infrastructure consistently delivering 250 and 350 bar fills even though the majority of the sites have a MTBF of 10 days or less. One site is delivering more than 115 kg/day on average for 4 days a week.





CDP-MHE-42, 48, & 62

Updated & new since 05/2011

Collaborations

Data Sharing & Analysis Partners

- Air Products
- FedEx
- GENCO
- Nuvera Fuel Cells
- Plug Power
- ReliOn
- Sprint
- Sysco Houston

ARRA Market Impact Study

Other collaboration activities include site visits and detailed analysis discussions

Safety, Codes, and Standards

- Technical Monitor of Hydrogen Safety Panel reviews of ARRA projects
  - Review of safety plans for each site
  - Conduct safety review site visits for up to 6 sites (3 MHE & 1 Backup site visits completed)
- Quantitative Risk Assessment Data Input
  - Jeff LaChance (Sandia National Lab)
  - Carl Rivkin (NREL)

Future Work

Remaining FY12 tasks:

- Quarterly analysis of operation and maintenance data for fuel cell systems and hydrogen infrastructure (2 cycles)
- Backup Power Value Proposition & Reliability Analyses
- Bi-annual technical composite data products for data through June 2012
  - Update existing set of 74 existing CDPs
  - Add to the CDPs pertaining to the market value proposition performance metrics
- Detailed data sharing with individual project partners for identification of successes and gaps with the early market technology validation
- Conduct 1 hydrogen safety panel site visit
- Support ARRA market impact study through aggregated data sharing

Beyond FY12:

- Continue quarterly analysis and bi-annual technical CDPs under Technology Validation
- Close collaboration with key stakeholders to identify valuable analyses for technology status updates and metrics important to the value proposition

Technical Summary – *What We've Learned*

Fuel Cell Backup Power

- Operating reliability in 15 states with 99.7% successful starts.
- Maximum continuous run time of 29 hours due to an unplanned grid outage.

Fuel Cell Material Handling Equipment

- Operating with an average availability of >98% at 8 end-user facilities.
- Most systems operate at least 6 hours a day.
- Cost of ownership comparison between fuel cell and battery MHE indicate significant cost savings cost for refueling labor and infrastructure space but much greater cost for hydrogen infrastructure and fuel.

Aggregated data showcases growth over the last two years in MHE and backup power.

Performance results address a need for published results on the technology status.

Data analyses develop as systems operate and based on the key performance areas in the markets.

Project Summary

***Relevance*:** Assess the technology status in real world operations, establish performance baselines, report on fuel cell and hydrogen technology, and support market growth by evaluating performance relevant to the markets' value proposition for early fuel cell markets.

***Approach*:** Leverage capabilities established under other technology validation activities (NRELFAT) and industry collaborations. Aggregated data for concise reporting on large data sets from multiple project partners.

***Accomplishments*:** 4th set of technical CDPs published on performance, operation, and safety for MHE and backup power, with 22 new CDPs added. All results and publications available on NREL's technology validation website that also includes monthly highlights.

***Collaborations and Future Work*:** Investigate new analyses of importance to supporting market growth and technology advancement (e.g. backup power value proposition analysis) with the close collaboration of the fuel cell and hydrogen developers and end users.